



Manhole Covers Ireland

We cover everything!

Portland, Lorrha, Nenagh, Co. Tipperary E45 DH99.

Phone 094 9033 022 Fax 094 925 4970

Email: info@mhcireland.com web Site www.mhcireland.com

D400 Moscow Double Tri Cover & 100H Frame



Inspection Manhole Cover and Frame in Spheroidal cast iron with load bearing capacity over 400 kN (40 tons), conforming to the load class D400 as set out by norm EN 124-2 2015.

Optional Extra's

Badging FW, AV and SW VENTED with 10mm Holes



Product Code	Overall Size	Clear Opening	Frame Height	Waterway Area	3rd Party Certified
MH-D-4545	570 x 570mm	450 x 450mm	100mm	N/A	Yes
MH-D-6045	720 x 570mm	600 x 450mm	100mm	N/A	Yes
MH-D-6767	827 x 827mm	675 x 675mm	100mm	N/A	Yes
MH-D-6060	720 x 720mm	600 x 600mm	100mm	N/A	Yes
MH-D-7560	915 x 765mm	750 x 600mm	100mm	N/A	Yes
MH-D-7575	904 x 904mm	750 x 750mm	100mm	N/A	Yes
MH-D-9060	1054 x 754mm	900 x 600mm	100mm	N/A	Yes
MH-D-12267	1374 x 850mm	1220 x 675mm	100mm	N/A	Yes
MH-D-9090	1050 x 1050mm	900 x 900mm	100mm	N/A	Yes

Sub-Category: D400 Multi-Tri Manhole Covers and Frame for use in highways and commercial/industrial areas.

Material Grade/s: Spheroid Graphite Iron Grade EN-GJS-500-7.

Temporary Bitumen-based paint coating to BS 3416.

Load Rating Classification: D400 (40 tonnes)

Features: - 3rd Party Certified to BS EN124-2-2015 (copy certificate available upon request)

- Non-rock 3 point suspension covers
- Integral lifting key holes (Lifting keys, available separately).
- Optional 'locking' version (ask for details)
- Any badging available on Request.- Closed Keyways
- Compliant with Design Requirements of HA104/02
- The covers are interchangeable, the upper surface is designed to be antiskid to EN124-2:2015,7.4, to allow the complete flow of runoff water and avoid the creation of ice.